

B-9,10,41 - Arbuda Industrial Estate,
Opp. Roop Textiles, Nr. Nissan Services Lane,
Narol, Ahmedabad-382405. Gujarat, India.
Mobile : +91 9978129844, +91 9978327576
E-mail : navkar.impex1@gmail.com
Web.: www.navkarimpex.in



C.I. No. C.I. Name	SHADE		Applications													Light Fastness		Heat Stability °C
	MASS TONE	TINT TONE	Plastic			Ink			Paint				Textile Printing	Rubber / EVA	Mass Tone	Tint Tone		
			PVC	Ployoefins	PS ABS	Offset	Liquid	Water Base	Decorative	Industrial	Water Base	Dry Destemper						
11680 Fig. Yellow 1						●		●				●	●	●		7	3-4	200
11710 Fig. Yellow 3											●	●	●	●		7	5-6	180
21090 Fig. Yellow 12			●			●	●	●						●		4-5	3-4	180
21100 Fig. Yellow 13			●	●											●	5-4	4	230
21095 Fig. Yellow 14						●	●								●	4-5	3-4	180
21105 Fig. Yellow 17			●	●		●							●			5-6	3-4	260
13940 Fig. Yellow 62			●	●	●	●	●	●	●	●	●	●	●	●		5-6	3-4	260
11740 Fig. Yellow 65			●	●	●	●	●	●	●	●	●	●	●	●		5-6	3-4	260
11741 Fig. Yellow 74												●	●	●		7-8	7	180
21108 Fig. Yellow 83			●	●	●	●	●	●	●	●	●	●	●	●	●	5-6	3-4	260
21102 Fig. Yellow 127			●	●	●	●	●	●			●	●		●	●	5-6	3-4	260
13960 Fig. Yellow 168			●	●	●	●	●	●			●	●		●	●	5-6	3-4	260
18795 Fig. Yellow 191			●	●	●	●	●	●			●	●		●	●	5-6	3-4	260
12075 Fig. Orange 5							●	●	●		●	●	●			6	3	240

C.I. No. C.I. Name	SHADE		Applications											Light Fastness		Heat Stability Oc		
	MASS TONE	TINT TONE	Plastic			Ink			Paint				Textile Printing	Rubber / EVA	Mass Tone		Tint Tone	
			PVC	Ploycefin	PS ABS	Offset	Liquid	Water Base	Decorative	Industrial	Water Base	Dry Destemper						
21110 Fig. Orange 13			●	●		●	●	●						●	●	5-6	3	230
21160 Fig. Orange 16						●			●					●		5-6	3	230
21115 Fig. Orange 34						●	●	●	●		●			●		5-6	3	230
12310 Fig. Red 2									●		●	●	●			3-4	5	160
12120 Fig. Red 3									●		●	●	●			3-4	5	160
12085 Fig. Red 4									●	●	●	●				5-6	3-4	160
12335 Fig. Red 8						●		●	●		●		●			6	5	160
12385 Fig. Red 12									●	●	●		●			6-7	4-5	160
12355 Fig. Red 23			●	●	●	●	●	●	●	●	●	●	●	●		6-7	4-5	160
12360 Fig. Red 31			●	●	●	●	●	●	●	●	●	●	●	●		6-7	4-5	160
12320 Fig. Red 32			●	●	●	●	●	●	●	●	●	●	●	●		6-7	4-5	160
15865:1 Fig. Red 48:1			●			●			●				●			3-4	3-4	160
15865:2 Fig. Red 48:2			●	●	●	●	●			●				●		4-6	3-4	200
15865:3 Fig. Red 48:3			●			●			●				●			3-4	3-4	160
15865:4 Fig. Red 48:4			●			●			●				●			3-4	3-4	160
15630:1 Fig. Red 49:1						●	●	●								2-3	2	240

C.I. No. C.I. Name	SHADE		Applications											Light Fastness		Heat Stability Oc		
	MASS TONE	TINT TONE	Plastic			Ink			Paint				Textile Printing	Rubber / EVA	Mass Tone		Tint Tone	
			PVC	Ploycefin	PS ABS	Offset	Liquid	Water Base	Decorative	Industrial	Water Base	Dry Destemper						
15630:2 Pig. Red 49:2						•	•	•								2-3	2	240
12585 Pig. Red 53:1			•	•		•	•									2-3	2	240
12850 Pig. Red 57:1			•	•		•	•	•	•							3-4	3-4	240
15880:1 Pig. Red 63:1			•	•										•		5-6	3-4	200
15880:2 Pig. Red 63:2			•	•										•		5-6	3-4	200
12370 Pig. Red 112									•	•	•	•	•			6-7	6-7	160
73915 Pig. Red 122			•			•		•	•	•	•	•	•			6-7	6-7	200
12485 Pig. Red 146			•			•		•	•	•	•	•	•			6-7	6-7	240
12475 Pig. Red 170									•	•	•	•	•			6-7	6-7	160
12477 Pig. Red 210						•		•	•	•	•	•	•			6-7	6-7	160
74160 Co. Ph. Blue 15:0			•	•	•	•		•	•		•	•	•	•		8	8	180 to 240
74160 Co. Ph. Blue 15:1						•	•	•	•		•	•	•	•		8	8	180 to 240
74160 Co. Ph. Blue 15:3			•	•	•	•		•	•		•	•	•	•		8	8	180 to 240
74260 Co. Ph. Green-7			•	•	•	•		•	•		•	•	•	•		8	8	180 to 240
51319 Pig. Violet 23			•	•	•	•		•	•		•	•	•	•		8	8	180 to 240
73900 Pig. Violet 19			•	•	•	•		•	•		•	•	•	•		8	8	180 to 240